Dart Aerospace Ltd. Friday, 12/21/2007 7:27:31 AM Kim Johnston User: **Process Sheet** : STRUT : CU-DAR001 Dart Helicopters Services **Drawing Name** Customer Job Number : 36514 : 10955 **Estimate Number** : NA : D2565201 Part Number P.O. Number S.O. No. : H/A D2565 REV E : 12/21/2007 **Drawing Number** This Issue : N/A Prsht Rev. Project Number Type : SMALL /MED FAB **Drawing Revision** First Issue : 36366 Material Previous Run : 1/20/2008 Qty: 10 Um: **Due Date** Written By Checked & Approved By Added Powder Coat, Removed Polish, and : Est: D 64.06.04 Comment Added Inspection Levels 3 & 21EC **Additional Product** Job Number: Seq. #: Description: 304 RD Tube .750 x .049W 1.0 M304TR0750W049 Comment: Qty.: 2.0124 f(s)/Unit Total: 20.1243 f(s) Material: 304/316 SS tubing 0.750" Dia. x 0.049" wall Batch No: M (M304TR0750W049) BRAKE NC NC BRAKE 2.0 Comment: BRAKE NC Punch as per Dwg D2565 using DT 8313 SMALL & MEDIUM FAB RESOURCE 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 Drill hole as per Dwg D2565 (one end only) Deburr 4.0 QC5

Comment: INSPECT WORK TO CURRENT STEP

POWDER COATING

Each

Comment: POWDER COATING

Powder Coat White (Ref: 4.3.5.2) as per QSI 005 4.3

5.0

## **Dart Aerospace Ltd**

Dail Ae	OSpace	ELU								
W/O:			WC	RK ORDER CHAN	GES					
DATE	STEP	PROCEDURE CHANGE			E	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
·							\			<u> </u>
Part No	:	PAR #:	Fault Cate	jory:	NCR:	Yes 🌴	DQ	A: 1	Date: _	08/01/15
		•				A: N/	C Close	d:	_ Date: _	
NCR:		,	WORK ORD	R NON-CONFORM	ANCE (	NCR)				
		Department of NC	Corrective Action Section B		ction B		Verification		Annaval	Approval
DATE	STEP	Description of NC Section A	Initial Chief Eng	Action Description Chief Eng		ign & Date	Section C	Approval Chief Eng	Approval QC inspector	
					211					
								,		
	-	3								
3										
				+>						
					-					
							<del> </del>			ļ

NOTE: Date & initial all entries

Friday, 12/21/2007 7:27:31 AM Date: User: Kim Johnston **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: STRUT Job Number: 36514 Part Number: D2565201 Job Number: Seq. #: Description: **Machine Or Operation:** INSPECT POWDER COAT/CHEMICAL CONVERSION 6.0 QC3 Comment: INSPECT POWDER COAT 7.0 PACKAGING RESOURCE # Comment: PACKAGING RESOURCE #1 Identify and Stock 57270 Location: 8.0 QC21 FINAL INSPECTION/W/O RELEASE Comment: FINAL INSPECTION/W/O RELEASE U 28.01.15 Job Completion

Dart Ae	rospace Li	td								
W/O:		-	WC	RK ORDER CHAI	NGES					
DATE	STEP	PROCEDURE CHANGE				Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	100									
				,	44	4				
Part No	:	PAR #:	Fault Cate	gory:	NCI	R: Yes I	No <b>DQ</b>	A:	Date:	I
						QA: N/	C Close	d:	Date:	
NCR:		· .	WORK ORDI	ER NON-CONFOR	MANCE	(NCR	)			
DATE	STEP	Description of NC			Section B		Verific		Approval	Approval
DATE		Section A	Initial Chief Eng	Action Descriptio	n	Sign & Date			Chief Eng	QC Inspector
						in I				
								1		
					:					

NOTE: Date & initial all entries





	DESIG	DESIGN DRAWN BY		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA				
	CHEC	KED M	APPROVÉO	DRAWING NO. REV. E				
		-H	#	D2565 SHEET 1 OF 1				
	DATE	······································	•	TITLE SCALE				
	04.0	5.05		STRUT 1:3				
	Α		96.05.03	NEW ISSUE				
	В		97.03.15	CORRECT D2565-111 DIM. A				
	С	*	98.10.05	UPDATED MATERIAL NOTE (TSR A603)				
l	D		02.06.05	ADD -3XX PARTS; ADD FINISH				
	Ε	_	04.05.05	ADD D2565-401-411; RMV ANGLE D				



A B
DIA 0.257 TO BE PUNCHED — "C" DIA TO BE OPENED MANUALLY PUNCH ENDS PER SPEC CONTROL DRAWING D2638 —

PART #	Α	В	DIA C
D2565-101	20.52	19.72	0.316
D2565-103	18.21	17,41	0.316
D2565-105	20.19	19.39	0.316
D2565-107	13.43	12.63	
D2565-109	12.31	11.51	_
D2565-111	13.65	12.85	
D2565-201	22.79	22.00	0.316
D2565-203	20.75	19.95	0.316
D2565-205	21.22	20.42	0.316
D2565-207	16.07	15.27	
D2565-209	15.16	14.36	
D2565-211	14.14	13.34	
D2565-301	27.03	26.23	0.316
D2565-303	25.34	24.54	0.316
D2565-305	23.73	22.93	0.316
D2565-307	20.86		
D2565-309	20.17	19.37	
D2565-311	16.30	15.50	_
D2565-401	18.29	17.49	0.316
D2565-403	15.64	14.84	
D2565-405	19.45	18.65	0.316
D2565-407	10.79	9.99	_
D2565-409	9.34	8.54	
D2565-411	13.81	13.01	

**GENERAL NOTES** 

1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL (REF DART SPEC. M304TR0.750W0.049)

ENSURE SEAMLESS TUBE IS USED

2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3

3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED

4) ALL DIMENSIONS ARE IN INCHES

RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

SHOP COPY

WORK ORDER

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.






DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA					
CHECKED	APPROVED	DRAWING NO.	REV. A				
Max	14	D2638 SHEET	1 OF 1				
DATE		TITLE	SCALE				
 98.04.28		PUNCH DT8117 SPEC CONTROL	1:1				
 Δ	98.04.28	NEW ISSUE					



## SPECIFICATION CONTROL DRAWING FOR PUNCH DT8117



SHOP COPY

RETURN TO

ENGINEERING

UNCONTROLLED COPY

SUBJECT TO AMENDMENT

WITHOUT NOTICE

WORK ORDER